



# ANALYTICAL REPORT

## PREPARED FOR

Attn: Water Report  
NW Natural Water Services, LLC  
107 S Main St  
Coupeville, Washington 98239

Generated 4/3/2026 9:47:21 AM

## JOB DESCRIPTION

Saratoga Week 4 - 763000

## JOB NUMBER

110-7991-1

## Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Drinking Water and Wastewater West, LLC Project Manager.

## Authorization



Generated  
4/3/2026 9:47:21 AM

Authorized for release by  
Crystal Deighton, Admin Asst. I  
[Crystal.Deighton@et.eurofinsus.com](mailto:Crystal.Deighton@et.eurofinsus.com)  
(360)757-1400

# Client Sample Results

Client: NW Natural Water Services, LLC  
Project/Site: Saratoga Week 4 - 763000

Job ID: 110-7991-1

Client Sample ID: Saratoga

Date Collected: 03/25/26 14:15

Date Received: 03/26/26 16:00

Lab Sample ID: 110-7991-1

Matrix: Drinking Water

PWSID Number: 763000

|                                 |        |           |        |      |   |                |         |         |  |
|---------------------------------|--------|-----------|--------|------|---|----------------|---------|---------|--|
| Method: 200.8 - Metals (ICP/MS) |        |           |        |      |   |                |         |         |  |
| Analyte                         | Result | Qualifier | RL     | Unit | D | Analyzed       | Dil Fac | Analyst |  |
| Arsenic                         | 0.0021 |           | 0.0010 | mg/L |   | 04/01/26 15:19 | 1       | T8BB    |  |

# Action Limit Summary

Client: NW Natural Water Services, LLC  
Project/Site: Saratoga Week 4 - 763000

Job ID: 110-7991-1

Client Sample ID: Saratoga

Lab Sample ID: 110-7991-1

PWSID Number: 763000

## Compliance Check

The results obtained from the analytical testing of this data set were checked against compliance limits received from the client. Any results at or above the compliance limits have been highlighted for your convenience.

| Analyte | Result | Qualifier | Unit | EPAMCL<br>Limit | RL     | Method | Prep Type |
|---------|--------|-----------|------|-----------------|--------|--------|-----------|
| Arsenic | 0.0021 |           | mg/L | 0.01            | 0.0010 | 200.8  | Total/NA  |

| Client & Billing Information                 |                |
|----------------------------------------------|----------------|
| Report To: NW Natural Water Services         | Bill To: KIN07 |
| Ship Address: 102 SW Terry Road              | Address:       |
| City: Coupeville                             | City: St.      |
| State: WA                                    | State: WA      |
| Zip: 98239                                   | Zip: 98239     |
| Phone: 360-226-5007/360-226-4745             | Phone:         |
| Fax:                                         | Fax:           |
| Email: wa_testing@nwnaturalwaterservices.com | P.O.#          |
| Contact: Jessica Zimmer                      |                |
| Project Name: Saratoga Water District        |                |

**EDGE**  
**ANALYTICAL**  
**Main Lab (800-755-9295)**  
1620 S Walnut St. Burlington, WA 98233  
**Bellingham (888-725-1212)**  
805 W Orchard Dr. Suite 4, Bellingham, WA 98225

INSTRUCTIONS

1. USE ONE LINE PER SAMPLE LOCATION.

2. BE SPECIFIC IN TEST REQUESTS.

3. CHECK OFF ANALYSIS TO BE PERFORMED FOR EACH SAMPLE LOCATION.

4. ENTER NUMBER OF CONTAINERS PER SAMPLE LOCATION.

Turn Around Time Requested

☒ STANDARD

☐ HALF-TIME (50% SURCHARGE)

☐ QUICKEST (100% SURCHARGE) (PHONE CALL REQUIRED)

☐ EMERGENCY (PHONE CALL REQUIRED)

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |
|  |

**SPECIAL SOURCE NUMBERS**

- 92 DISTRIBUTION (THM/HAA)
- 96 BLENDED SAMPLE
- 93 STANDING WATER (P&C)
- 95 LAB COMPOSITE
- 00 DISTRIBUTION (BACTERIA)

| SYSTEM ID            | SOURCE# | SAMPLE LOCATION | DATE              | TIME    | Com  | Arsen                               |                                     |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          | Nu m               | SPECIAL INSTRUCTIONS/<br>CONDITIONS ON RECEIPT |
|----------------------|---------|-----------------|-------------------|---------|------|-------------------------------------|-------------------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------|------------------------------------------------|
| 1                    | 763000  | S05             | Saratoga - Week 4 | 8-25-26 | 1415 | <input checked="" type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | /                  |                                                |
| 2                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 3                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 4                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 5                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 6                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 7                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 8                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 9                    |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| 10                   |         |                 |                   |         |      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> |                    |                                                |
| SAMPLED BY: JD Weber |         | PHONE:          | FAX:              | EMAIL:  |      |                                     |                                     |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          |                          | 2 TOTAL CONTAINERS |                                                |

| DISAMPLIFIED/REMOVED BY       | DATE | TIME | REMOVED BY         | DATE | TIME |
|-------------------------------|------|------|--------------------|------|------|
|                               |      |      | <i>[Signature]</i> |      |      |
| <b>Edge PU01 3/26/26 1600</b> |      |      |                    |      |      |

CUSTODY SEAL: INTACT  
SAMPLE TEMP: 103.7 °C SATISFACTORY  
EVIDENCE OF COOLING  
SAMPLES RECEIVED INTACT  
CHAIN OF CUSTODY & LABELS AGREE

☐ ☐ ☐ ☐ ☐ ☐ YES  
☐ ☐ ☐ ☐ ☐ NO  
☐ ☐ ☒ N/A

## Chain of Custody Record



|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|------------------------------------------------------------------------------------------------|--|
| <b>Client Information (Sub Contract Lab)</b>                                                                                                                                                                                      |  |  |  | Sampler: N/A<br>Lab PM: Deighton, Crystal<br>Carrier Tracking No(s): N/A<br>COC No: 110-1677 1 |  |
| Client Contact: Shipping/Receiving<br>E-Mail: Crystal.Deighton@et.eurofinsus.com<br>State of Origin: Washington                                                                                                                   |  |  |  | Page: Page 1 of 1                                                                              |  |
| Company: Eurofins Drinking Water and Wastewater W<br>Address: 941 Corporate Center Drive,<br>City: Pomona<br>State, Zip: CA, 91768-2642<br>Phone: 626-386-1100(Tel)<br>Email: N/A<br>Project Name: Saratoga - 763000<br>Site: N/A |  |  |  | Job #: 110-7991-1<br>Preservation Codes:                                                       |  |
| Due Date Requested: 4/8/2026<br>TAT Requested (days): N/A                                                                                                                                                                         |  |  |  | Analysis Requested                                                                             |  |
| PO #: N/A<br>WO #: N/A<br>Project #: 11001269<br>SOW#: N/A                                                                                                                                                                        |  |  |  | Total Number of Containers: 1                                                                  |  |
| <b>Sample Identification - Client ID (Lab ID)</b><br>Saratoga (110-7991-1)                                                                                                                                                        |  |  |  | Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> 200.8 SDWA/Auto_ME_NoPrepAs     |  |
|                                                                                                                                                                                                                                   |  |  |  | Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/>                          |  |
| Sample Date: 3/25/26<br>Sample Time: 14 15 Pacific<br>Sample Type (C=Comp, G=grab): G<br>Matrix (W=water, S=solid, O=on-site, A=Air): Drinking Water                                                                              |  |  |  | Preservation Code: X                                                                           |  |
| Special Instructions/Note:                                                                                                                                                                                                        |  |  |  | Other: N/A                                                                                     |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |
|                                                                                                                                                                                                                                   |  |  |  |                                                                                                |  |

Note: Since laboratory accreditations are subject to change, Eurofins Drinking Water and Wastewater West, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Drinking Water and Wastewater West, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Drinking Water and Wastewater West, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Drinking Water and Wastewater West, LLC.

**Possible Hazard Identification**

Unconfirmed Deliverable Requested: I, II, III, IV, Other (specify) \_\_\_\_\_

Primary Deliverable Rank: 1

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)  
☐ Return To Client    ☐ Disposal By Lab    ☐ Archive For \_\_\_\_\_ Months

Special Instructions/QC Requirements:

|                            |                   |              |              |                         |          |
|----------------------------|-------------------|--------------|--------------|-------------------------|----------|
| Empty Kit Relinquished by: |                   | Date:        |              | Method of Shipment: F+T |          |
| Relinquished by:           | Date/Time:        | Received by: | Date/Time:   | Company:                | Company: |
| Relinquished               | CJK 3/30/26 13:30 | Received by: | 3/30/26 9:44 | Company:                | Company: |
| Relinquished               |                   | Received by: |              | Company:                | Company: |

Custody Seal No. \_\_\_\_\_

Custody Seals Intact: A Yes A No

Cooler Temperature(s) °C and Other Remarks: 6 MAY 13.5-13.5 WA